

# IMRT REFERENCES

Revenue Cycle, Inc.  
512-583-2000

[info@revenuecycleinc.com](mailto:info@revenuecycleinc.com)



<b>SECTION</b>	<b>PAGE NUMBER</b>
<b>GENERAL REFERENCES</b>	<b>3-4</b>
<b>SITE SPECIFIC REFERENCES</b>	<b>5-26</b>
<b>BRAIN/CNS</b>	<b>5</b>
<b>BREAST</b>	<b>6 - 10</b>
<b>ESOPHAGUS</b>	<b>11</b>
<b>HEAD/NECK</b>	<b>12 - 16</b>
<b>LYMPHOMA</b>	<b>17</b>
<b>LUNG</b>	<b>18</b>
<b>PANCREAS</b>	<b>19</b>
<b>PROSTATE</b>	<b>20 - 22</b>
<b>RECTUM/ANUS/COLON</b>	<b>23</b>
<b>GYN/PELVIS</b>	<b>24 - 26</b>

## GENERAL REFERENCES

- 1) Balter J, Das R, Eifel P, Holmes T, Low D, Palta J, Yin F, IMRT Documentation Working Group, FASTRO. American Society of Radiation Oncology Recommendations for Documenting Intensity-Modulated Radiation Therapy Treatments. *International Journal of Radiation Oncology Biology Physics* Volume 74, Issue 5, 1 August 2009, Pages 1311-1318.
- 2) DeVita VT, Hellman S, Rosenberg SA. *CANCER, Principles & Practice of Oncology*. Fifth Edition, Volume 2 Chapter 66, pp3090-3106; published by Pippincott-Raven
- 3) Chao KSC, ed, Apisarnthanarax S, asst ed, Ozyigit G, asst ed. *Practical Essentials of Intensity Modulated Radiation Therapy*, 2<sup>nd</sup> Edition. Philadelphia, PA: Lippincott Williams & Wilkins; 2005.
- 4) DeVita VT, Hellman S, Rosenberg SA. *CANCER. Principles & Practice of Oncology*. Sixth edition. Philadelphia, PA: Lippincott William & Wilkins; 1(29) Section 4:777-787, 2001.
- 5) Ezzell GA, Galvin JM, Low D, *et al*. Guidance document on delivery, treatment planning, and clinical implementation of IMRT: report of the IMRT Subcommittee of the AAPM Radiation Therapy Committee. *Med Phys*. 2003;30(8):2089-2115.
- 6) Fraass BA, Doppke K, Hunt M, *et al*. American Association of Physicists in Medicine Radiation Therapy Committee Task Group 53: quality assurance for clinical radiotherapy treatment planning. *Med Phys*. 1998;25(10):1773-1829.
- 7) Fraass BA, Kessler ML, McShan DL, *et al*. Optimization and clinical use of multisegment intensity-modulated radiation therapy for high-dose conformal therapy. *Semin Radiat Oncol*. 1999;9(1):60-67.
- 8) Galvin JM, Ezzell G, Eisbrauch A, *et al*. Implementing IMRT in clinical practice: a joint document of the American Society for Therapeutic Radiology and Oncology and the American Association of Physicists in Medicine. *Int J Radiat Oncol Biol Phys*. 2004;58(5):1616-1634.
- 9) Guerrero Urbano MT, Nutting CM. Clinical use of intensity-modulated radiotherapy: part I. *Br J Radiol*. 2004;77(914):88-96.
- 10) Guerrero Urbano MT, Nutting CM. Clinical use of intensity-modulated radiotherapy: part II. *Br J Radiol*. 2004;77(915):177-82..
- 11) Intensity-Modulated Radiotherapy Collaborative Working Group. Intensity-Modulated Radiotherapy: Current Status and Issues of Interest. *Int. J. Radiation Oncology Biol. Phys*. 2001; 54(4): 880-914.
- 12) Jones AO, Kleiman MT. Patient setup and verification for intensity-modulated radiation therapy (IMRT). *Med Dosim*. 2003;28(3):175-183.

- 13) Leibel S, Phillips T. *Textbook of Radiation Oncology*, 2nd Edition, Chapter 8, Saunders, p. 163-168, 2004
- 14) Mell LK, Mehrotra AK, Mundt AJ. Intensity-modulated radiation therapy use in the U.S. 2004. *Cancer* 2005;104(6):1296-1303.
- 15) Members of the Memorial Sloan Kettering Staff. *A Practical Guide to Intensity Modulated Radiation Therapy*, Medical Physics Publishing, 2003.
- 16) Palta JR, Mackie TR. *Intensity-Modulated Radiation Therapy: The State of the Art*. Medical Physics Monograph No. 29. (2003 Summer School Proceedings). Published for the American Association of Physicists in Medicine by *Medical Physics Publishing*.
- 17) Perez, CA, Brady, LW, Halperin, EC and Schmidt-Ullrich, RK. *Principles and Practice of Radiation Oncology*, 4<sup>th</sup> Edition, Chapter 9, Lippincott Williams & Wilkins, 2004, p. 314-336.
- 18) Pirzkall A, Carol M, Lohr F, *et al*. Comparison of intensity modulated radiotherapy with conventional conformal radiotherapy for complex-shaped tumors. *Int J Radiat Oncol Biol Phys*. 2000;48(5):1371-1380.
- 19) Teh BS; Woo SY; Butler EB: Intensity modulated radiation therapy (IMRT): A new promising technology in radiation oncology, *The Oncologist* 1999; 4(6): 433-42
- 20) *Textbook of Radiation Oncology*, by Leibel, Phillips, 1st Edition, Chapter 8 pp138-149, published by Saunders.
- 21) Webb S. *Intensity-Modulated Radiation Therapy*. London, UK: Institute of Physics Publishing; 2001.
- 22) William PC. IMRT: delivery techniques and quality assurance. *Br J Radiol*. 2003;76(11):766-776.

## SITE SPECIFIC REFERENCES

### BRAIN/CNS

- 1) Edwards A A, Keggin E, Plowman P N, The developing role for intensity-modulated radiation therapy (IMRT) in the non-surgical treatment of brain metastases, *Br J Radiol*, 2010 83: 133-136
- 2) Hermanto U, Frija EK, Lii MJ, *et al.* Intensity-modulated radiotherapy (IMRT) and conventional three-dimensional conformal radiotherapy for high-grade gliomas: does IMRT increase the integral dose to normal brain? *Int J Radiat Onc Biol Phys.* 2007; 67(4):1135-1144.
- 3) Milker-Zabel S, Zabel-du Bois A, Huber P, *et al.* Intensity-modulated radiotherapy for complex-shaped meningioma of the skull base: long-term experience of a single institution. *Int J Radiat Oncol Biol Phys.* 2007;68(3):858-863.
- 4) Narayana A, Chang J, Yenice K, *et al.* Hypofractionated stereotactic radiotherapy using intensity-modulated radiotherapy in patients with one or two brain metastases. *Stereotact Funct Neurosurg.* 2007;85(2-3):82-87.
- 5) Narayana A, Yamada J, Berry S, *et al.* Intensity-modulated radiotherapy in high-grade gliomas: clinical and dosimetric results. *Int J Radiat Onc Biol Phys.* 2006;64(3):892-897.
- 6) Pai Panandiker A, Ning H, Likhacheva A, *et al.* Craniospinal irradiation with spinal IMRT to improve target homogeneity. *Int J Radiat Onc Biol Phys.* 2007;68(5):1402-1409.
- 7) Wang SJ, Choi M, Fuller CD, *et al.* Intensity-modulated Radiosurgery for patients with brain metastases: a mature outcomes analysis. *Technol Cancer Res Treat.* 2007;6(3):161-168.

## BREAST

- 1) Arthur DW, Morris MM, Vicini FA. Breast cancer: new radiation treatment options. *Oncology*. 2004;18(13):1621-1629.
- 2) Beckham WA, Popescu CC, Patenaude VV, *et al*. Is multi-beam IMRT better than standard treatment for patients with left-sided breast cancer? *Int J Radiat Onc Biol Phys*. 2007;69(3):918-924.
- 3) Bhatnagar AK, Brandner E, Sonnik D, *et al*. Intensity modulated radiation therapy (IMRT) reduces the dose to the contralateral breast when compared to conventional tangential fields for primary breast irradiation. *Breast Cancer Res Treat*. 2006;96(1):41-46.
- 4) Bhatnagar AK, Heron DE, Deutsch M, *et al*. Does breast size affect the scatter dose to the ipsilateral lung, heart, or contralateral breast in primary breast irradiation using intensity-modulated radiation therapy (IMRT)? *Am J Clin Oncol*. 2006;29(1):80-84.
- 5) Borghero YO, Salehpour M, McNeese MD, *et al*. Multi-leaf field-in-field forward planned intensity modulated dose compensation for whole-breast radiation is associated with reduced contralateral dose: a phantom model comparison. *Radiother Oncol*. 2007;82(3):324-328.
- 6) Cho BC, Hurkmans CW, Damen EM, *et al*. Intensity modulated versus non-intensity modulated radiotherapy in the treatment of the left breast and upper internal mammary lymph node chain: a comparative planning study. *Radiother Oncol*. 2002;62(2):127-136.
- 7) Chui CS, Hong L, Hunt M, *et al*.: A simplified intensity modulated radiation therapy technique for the breast. *Med Phys*. 2002;29(4):522-529.
- 8) Coles CE, Moody AM, Wilson CB, *et al*. Reduction of radiotherapy-induced late complications in early breast cancer: the role of intensity-modulated radiation therapy and partial breast irradiation. Part I-normal tissue complications. *Clin Oncol*. 17(1):16-24.
- 9) Coles CE, Moody AM, Wilson CB, *et al*. Reduction of radiotherapy-induced late complications in early breast cancer: the role of intensity-modulated radiation therapy and partial breast irradiation. Part II-Radiotherapy strategies to reduce radiation-induced late effects. *Clin Oncol*. 2005;17(2):98-110.
- 10) Correa CR, Litt HI, Hwang WT, *et al*. Coronary artery findings after left-sided compared with right-sided radiation treatment for early-stage breast cancer. *J Clin Oncol*. 2007;25(21):3031-3037.

- 11) Cozzi L, Fogliata A, Nicolini G, *et al.* Clinical experience in breast irradiation with intensity modulated photon beams. *Acta Oncol.* 2005;44(5):467-474.
- 12) Donovan E, Bleakley N, Denholm E, *et al.* Randomized trial of standard 2D radiotherapy (RT) versus intensity modulated radiotherapy (IMRT) in patients prescribed breast radiotherapy. *Radiother Oncol.* 2007;82(3):254-264.
- 13) Donovan EM, Bleackley NJ, Evans PM, *et al.* Dose-position and dose-volume histogram analysis of standard wedged and intensity modulated treatments in breast radiotherapy. *Br J Radiol.* 2002;75(900):967-973.
- 14) Fogliata A, Bolsi A, Cozzi L. Critical appraisal of treatment techniques based on conventional photon beams, intensity modulated photon beams and proton beams for therapy of intact breast. *Radiother Oncol.* 2002;62(2):137-145.
- 15) Freedman GM, Anderson PR, Li J, *et al.* Intensity modulated radiation therapy (IMRT) decreases acute skin toxicity for women receiving radiation for breast cancer. *Am J Clin Oncol.* 2006;29(1):66-70.
- 16) Giordano SH, Kuo YF, Freeman JL, *et al.* Risk of cardiac death after adjuvant radiotherapy for breast cancer. *J Natl Cancer Inst.* 2005;97(6):419-424.
- 17) Goodman KA, Hong L, Wagman R, *et al.* Dosimetric analysis of a simplified intensity modulation technique for prone breast radiotherapy. *Int J Radiat Oncol Biol Phys.* 2004;60(1):95-102.
- 18) Goodman KA, Toner S, Hunt M, *et al.* Intensity-modulated radiotherapy for lymphoma involving the mediastinum. *Int J Radiat Oncol Biol Phys.* 2005;62(1):198-206.
- 19) Guerrero M, Li XA, Earl MA, *et al.* Simultaneous integrated boost for breast cancer using IMRT: radiobiological and treatment planning study. *Int J Radiat Oncol Biol Phys.* 2004;59(5):1513-1522.
- 20) Haffty BG, Buchholz TA, McCormick B. Should intensity-modulated radiation therapy be the standard of care in the conservatively managed breast cancer patient? *J Clin Oncol.* 2008;26(13):2072-2074.
- 21) Harmon M, Mihailidis, DM. TomoTherapy Versus Conventional Planning for Left-Sided Breast Cancer With Lymph Nodes—Dosimetric Comparison: In Regard to Goddu *et al.* *Int J Radiat Oncol Biol Phys* 2009;73:1243–1251.
- 22) Harris EE, Correa C, Hwang WT, *et al.* Late cardiac mortality and morbidity in early-stage breast cancer patients after breast-conservation treatment. *J Clin Oncol.* 2006;24(25):4100-4106.
- 23) Harsolia A, Kestin L, Grills I, *et al.* Intensity-modulated radiotherapy results in significant decrease in clinical toxicities compared with conventional wedge-based breast radiotherapy. *Int J Radiat Oncol Biol Phys.* 2007;68(5):1375-1380.
- 24) Hooning MJ, Botma A, Aleman BM, *et al.* Long-term risk of cardiovascular disease in 10-year survivors of breast cancer. *J Natl Cancer Inst.* 2007;99(5):365-375.

- 25) Hurkmans CW, Cho BC, Damen E, *et al.* Reduction of cardiac and lung complication probabilities after breast irradiation using conformal radiotherapy with or without intensity modulation. *Radiother Oncol.* 2002;62(2):163-171.
- 26) KINHIKAR RA, Deshpande SS, Mahantshetty U, *et al.* HDR brachytherapy combined with 3-D conformal vs. IMRT in left-sided breast cancer patients including internal mammary chain: comparative analysis of dosimetric and technical parameters. *J Appl Clin Med Phys.* 2005;6(3):1-12.
- 27) Krueger EA, Fraass BA, McShan DL, *et al.* Potential gains for irradiation of chest wall and regional nodes with intensity modulated radiotherapy. *Int J Radiat Oncol Biol Phys.* 2003;56(4):1023-1037.
- 28) Krueger EA, Fraass BA, Pierce LJ. Clinical aspects of intensity modulated radiotherapy in the treatment of breast cancer. *Semin Radiat Oncol.* 2002;12(3):250-259.
- 29) Leonard C, Carter D, Kerscher J, *et al.* Prospective trial of accelerated partial breast intensity-modulated radiotherapy. *Int J Radiat Oncol Biol Phys.* 2007;67(5):1291-1298.
- 30) Lind PA, Pagnanelli R, Marks LB, *et al.* Myocardial perfusion changes in patients irradiated for left-sided breast cancer and correlation with coronary artery distribution. *Int J Radiat Oncol Biol Phys.* 2003;55(4):914-920.
- 31) Marks LB, Yu X, Proznitz, RG, *et al.* The incidence and functional consequences of RT-associated cardiac perfusion defects. *Int J Radiat Oncol Biol Phys.* 2005;63(1):214-223.
- 32) Mayo CS, Urie MM, Fitzgerald TJ. Hybrid IMRT plans-concurrently treating conventional and IMRT beams for improved breast irradiation and reduced planning time. *Int J Radiat Oncol Biol Phys.* 2005;61(3):922-932.
- 33) Mihai A, Ratkovitch E, Sixel K, *et al.* Inverse vs. forward breast IMRT planning. *Med Dosim.* 2005;30(3):149-154.
- 34) Oliver M, Chen J, Wong E, *et al.* A treatment planning study comparing whole breast radiotherapy against conformal, IMRT and tomotherapy for accelerated partial breast irradiation. *Radiother Oncol.* 2007;82(3):317-323.
- 35) Pignol JP, Olivetto I, Rakovitch E, *et al.* A multicenter randomized trial of breast intensity-modulated radiation therapy to reduce acute radiation dermatitis. *J Clin Oncol.* 2008;26(13):2085-2092.
- 36) Rusthoven KE, Carter DL, Howell K, *et al.* Accelerated partial-breast intensity-modulated radiotherapy results in improved dose distribution when compared with three-dimensional treatment-planning techniques. *Int J Radiat Oncol Biol Phys.* 2008;70(1):296-302.

- 37) Selvaraj RN, Beriwal S, Pourarian RJ, *et.al.* Clinical implementation of tangential field intensity modulated radiation therapy (IMRT) using sliding window technique and dosimetric comparison with 3D conformal therapy (3DCRT) in breast cancer. *Med Dosim.* 2007;32(4):299-304.
- 38) Selvaraj RN, Bhatnagar A, Beriwal S, *et.al.* Breast skin doses from brachytherapy using MammoSite HDR, intensity modulated radiation therapy, and tangential field techniques. *technology in cancer research and treatment. Technol Cancer Res Treat.* 2007;6(1):17-22.
- 39) Single R, King S, Albuquerque K, *et al.* Simultaneous-integrated boost intensity-modulated radiation therapy (SIB-IMRT) in the treatment of early-stage left-sided breast cancer. *Med Dosim.* 2006;31(3):190-196.
- 40) Thilmann C, Sroka-Perez G, Krempien R, *et al.* Inversely planned intensity modulated radiotherapy of the breast including the internal mammary chain: a plan comparison study. *Technol Cancer Res Treat.* 2004;3(1):69-75.
- 41) Vincini FA, Sharpe M, Kestin L, *et al.* Optimizing breast cancer treatment efficacy with intensity-modulated radiotherapy. *Int J Radiat Oncol Biol Phys.* 2002;54(5):1336-1344.
- 42) Woo TC, Pignol C, Rakovitch E, *et al.* Body radiation exposure in breast cancer radiotherapy: impact of breast IMRT and virtual wedge compensation techniques. *Int J Radiat Oncol Biol Phys.* 2006;65(1):52-58.
- 43) Rusthoven KE, Carter DL, Howell K, *et al.* Accelerated partial-breast intensity-modulated radiotherapy results in improved dose distribution when compared with three-dimensional treatment-planning techniques. *Int J Radiat Oncol Biol Phys.* 2008;70(1):296-302.
- 44) Selvaraj RN, Beriwal S, Pourarian RJ, *et.al.* Clinical implementation of tangential field intensity modulated radiation therapy (IMRT) using sliding window technique and dosimetric comparison with 3D conformal therapy (3DCRT) in breast cancer. *Med Dosim.* 2007;32(4):299-304.
- 45) Rusthoven KE, Carter DL, Howell K, *et al.* Accelerated partial-breast intensity-modulated radiotherapy results in improved dose distribution when compared with three-dimensional treatment-planning techniques. *Int J Radiat Oncol Biol Phys.* 2008;70(1):296-302.
- 46) Selvaraj RN, Beriwal S, Pourarian RJ, *et.al.* Clinical implementation of tangential field intensity modulated radiation therapy (IMRT) using sliding window technique and dosimetric comparison with 3D conformal therapy (3DCRT) in breast cancer. *Med Dosim.* 2007;32(4):299-304.
- 47) Selvaraj RN, Bhatnagar A, Beriwal S, *et.al.* Breast skin doses from brachytherapy using MammoSite HDR, intensity modulated radiation therapy, and tangential field techniques. *technology in cancer research and treatment. Technol Cancer Res Treat.* 2007;6(1):17-22.

- 48) Single R, King S, Albuquerque K, *et al.* Simultaneous-integrated boost intensity-modulated radiation therapy (SIB-IMRT) in the treatment of early-stage left-sided breast cancer. *Med Dosim.* 2006;31(3):190-196.
- 49) Thilmann C, Sroka-Perez G, Krempien R, *et al.* Inversely planned intensity modulated radiotherapy of the breast including the internal mammary chain: a plan comparison study. *Technol Cancer Res Treat.* 2004;3(1):69-75.
- 50) Vincini FA, Sharpe M, Kestin L, *et al.* Optimizing breast cancer treatment efficacy with intensity-modulated radiotherapy. *Int J Radiat Oncol Biol Phys.* 2002;54(5):1336-1344.
- 51) Woo TC, Pignol C, Rakovitch E, *et al.* Body radiation exposure in breast cancer radiotherapy: impact of breast IMRT and virtual wedge compensation techniques. *Int J Radiat Oncol Biol Phys.* 2006;65(1):52-58.

## ESOPHAGUS

- 1) Chandra A, Guerrero TM, Liu HH, *et al.* Feasibility of using intensity modulated radiotherapy to improve lung sparing in treatment planning for distal esophageal cancer. *Radiother Oncol.* 2005;77(3):247-253.
- 2) Chapet O, Fraass BA, Haken RK. Multiple fields may offer better esophagus sparing without increased probability of lung toxicity in optimized IMRT of lung tumors. *Int J Radiat Oncol Biol Phys.* 2006;65(1):255-265.
- 3) Fu WH, Wang LH, Zhou ZM, *et al.* Comparison of conformal and intensity-modulated techniques for simultaneous integrated boost radiotherapy of upper esophageal carcinoma. *World J Gastroenterol.* 2004;10(8):1098-1102.
- 4) Hong TS, Crowley EM, Killoran J, *et al.* Considerations in treatment planning for esophageal cancer. *Semin Rad Oncol.* 2007;17(1):53-61.
- 5) Mayo CS, Urie MM, Fitzgerald TJ, *et al.* Hybrid IMRT for treatment of cancers of the Lung and Esophagus. *Int J Radiat Oncol Biol Phys.* 2008 Feb [Epub ahead of print].
- 6) Nieder C, Schill S, Kneschaurek P, *et al.* Comparison of three different mediastinal radiotherapy techniques in female patients: Impact on heart sparing and dose to the breasts. *Radiother Oncol.* 2007;82(3):301-307.
- 7) Nutting CM, Bedford JL, Cosgrove VP, *et al.* A comparison of conformal and intensity-modulated techniques for esophageal radiotherapy. *Radiother Oncol.* 2001;61(2):157-163.
- 8) Wang SL, Laio Z, Vaporciyan AA, *et al.* Investigation of clinical and dosimetric factors associated with postoperative pulmonary complications in esophageal cancer patients treated with concurrent chemo radiotherapy followed by surgery. *Int J Radiat Oncol Biol Phys.* 2006;64(3):692-699.
- 9) Wu VW, Sham JS, Kwong DL. Inverse planning in three-dimensional conformal and intensity-modulated radiotherapy of mid-thoracic oesophageal cancer. *Br J Radiol.* 2004;77(919):568-572

## HEAD/NECK

- 1) Adams EJ, Nutting CM, Convery DJ, *et al.* Potential role of intensity modulated radiotherapy in the treatment of tumors of the maxillary sinus. *Int J Radiat Oncol Biol Phys.* 2001;51(3):579-588.
- 2) Allan D S, Fox G W, Gerig L H, Samant R S, Total Scalp radiation using image-guided IMRT for progressive cutaneous T cell lymphoma, *Br J Radiol*, 2009 82: e122-125e
- 3) Arcangeli G, Benassi M, Giovinzano G, Laccarino G, Marucci L, Marzi S, Pasciuti K, Soriani A. Analysis of Salivary Flow and Dose–Volume Modeling of Complication Incidence in Patients With Head-and-Neck Cancer Receiving Intensity-Modulated Radiotherapy. *International Journal of Radiation Oncology Biology Physics Volume 73, Issue 4*, 15 March 2009, Pages 1252-1259.
- 4) Bhide S A, Bidmead A M, Clark C H, Guerrero Urbano M T, Harrington K J, Miles E A, Nutting, C M on behalf of the UK Parsport Trial Management Group collaborators, Pre-trial quality assurance process for an intensity modulated radiation therapy (IMRT) trial: PARSPORT, a UK multicentre Phase III trial comparing conventional radiotherapy and parotid sparing IMRT for locally advanced head and neck cancer, *British Journal of Radiology*, 2009;82: 585-594
- 5) Braam PM, Terhaard CH, Roesink JM, *et al.* Intensity-modulated radiotherapy significantly reduces xerostomia compared with conventional radiotherapy. *Int J Radiat Oncol Biol Phys.* 2006;66(4):975-980.
- 6) Bragg CM, Conway J, Robinson MH. The role of intensity-modulated radiotherapy in the treatment of parotid tumors. *Int J Radiat Oncol Biol Phys.* 2002;52(3):729-738.
- 7) Butler, E.B., The B.S., Grant, W.H., Uhl, B.M. Koppersmith, R.B., Chiu, J.K., Donovan, D.T., Woo, S.Y. SMART (Simulation Modulated Accelerated Radiation Therapy) Boost; A New Accelerated Fractionation Schedule for the Treatment of Head and Neck Cancer with Intensity Modulated Radiotherapy, *Int. J. Radiation Oncology Biol. Phys.*, 45 No. 1, 567-573, 2000.
- 8) Chan K, Gomez DR, Gomez J, Kraus DH, Lee NY, Pfister DG, Shah JP, Shaha A, Wolden SL, Wong RJ, Zhung JE. Intensity-Modulated Radiotherapy in Postoperative Treatment of Oral Cavity Cancers. *International Journal of Radiation Oncology Biology Physics Volume 73, Issue 4*, 15 March 2009, Pages 1096-1103

- 9) Chao KS, Majhail N, Huang CJ, *et al.* Intensity modulated radiation therapy reduces late salivary toxicity without compromising tumor control in patients with oropharyngeal carcinoma: a comparison with conventional techniques. *Radiother Oncol.* 2001;61(3):275-280.
- 10) Chao KS, Ozyigit G, Blanco AI, *et al.* Intensity-modulated radiation therapy for oropharyngeal carcinoma: impact of tumor volume. *Int J Radiat Oncol Biol Phys.* 2004;59(1):43-50.
- 11) Chao KS, Ozyigit G, Thorsdad WL. Toxicity profile of intensity-modulated radiation therapy for head and neck carcinoma and potential role of amifostine. *Semin Oncol.* 2003;30(6 Suppl 18):101-108.
- 12) Chao KS. Protection of salivary function by intensity-modulated radiation therapy in patients with head and neck cancer. *Semin Radiat Oncol.* 2002;12(1 Suppl 1):20-25.
- 13) Chao KSC, Ozyigit G. *Intensity Modulated Radiation Therapy for Head and Neck Cancer*, St. Louis, MO: Lippincott Williams & Wilkins; 2003.
- 14) Chen YJ, Kuo JV, Ramsinghani NS, *et al.* Intensity-modulated radiotherapy for previously irradiated, recurrent head-and neck cancer. *Med Dosim.* 2002;27(2):171-176.
- 15) Chua DT, Sham JS, Leung LH, *et al.* Re-irradiation of nasopharyngeal carcinoma with intensity-modulated radiotherapy. *Radiother Oncol.* 2005;77(3):290-294.
- 16) Cozzi L, Fogliata A, Bolsi A, *et al.* Three-dimensional conformal vs. intensity-modulated radiotherapy in head-and-neck cancer patients: comparative analysis of dosimetric and technical parameters. *Int J Radiat Oncol Biol Phys.* 2004;58(2):617-624.
- 17) Cozzi L, Fogliata A, Lomax A, *et al.* A treatment planning comparison of 3D conformal therapy, intensity modulated photon therapy and proton therapy for treatment of advanced head and neck tumours. *Radiother Oncol.* 2001;61(3):287-297.
- 18) Dogan N, Leybovich LB, King S. Improvement of treatment plans developed with intensity modulated radiation therapy for concave-shaped head and neck tumors. *Radiology.* 2002;223(1):57-64.
- 19) Doornaert P, Langendijk JA, Leemans RC, Rietveld D, Slotman BJ, Vergeer MR. Intensity-Modulated Radiotherapy Reduces Radiation-Induced Morbidity and Improves Health-Related Quality of Life: Results of a Nonrandomized Prospective Study Using a Standardized Follow-Up Program. *International Journal of Radiation Oncology Biology Physics Volume 74, Issue 1, 1 May 2009, Pages 1-8.*
- 20) Eisbruch A, Schwartz M, Rasch C, *et al.* Dysphagia and aspiration after chemoradiotherapy for head-and-neck cancer: which anatomic structures are affected and can they be spared by IMRT? *Int J Radiat Oncol Biol Phys.* 2004;60(5):1425-1439.

- 21) Eisbruch A, Ship JA, Dawson LA, *et al.* Salivary gland sparing and improved target irradiation by conformal and intensity modulated irradiation of head and neck cancer. *World J Surg.* 2003;27(7):832-837.
- 22) Eisbruch A, Ten Haken RK, Kim HM, *et al.* Dose, volume, and function relationships in parotid salivary glands following conformal and intensity-modulated irradiation of head and neck cancer. *Int J Radiat Oncol Biol Phys.* 1999;45(3):577-587.
- 23) Eisbruch A. Reducing xerostomia by IMRT: what may, and may not, be achieved. *J Clin Oncol.* 2007;25(31):4863-4864.
- 24) Feng FY, Kim HM, Lyden TH, *et al.* Intensity-Modulated radiotherapy of head and neck cancer aiming to reduce dysphagia: early dose-effect relationships for the swallowing structures. *Int J Radiat Oncol Biol Phys.* 2007;68(5):1289-1298.
- 25) Graff P, Lapeyre M, Desandes E, *et al.* Impact of intensity-modulated radiotherapy on health-related quality of life for head and neck cancer patients: matched-pair comparison with conventional radiotherapy. *Int J Radiat Oncol Biol Phys.* 2007;67(5):1309-1317.
- 26) Jabbari S, Kim HM, Feng M, *et al.* Matched case-control study of quality of life and xerostomia after intensity-modulated radiotherapy or standard radiotherapy for head-and-neck cancer: Initial report. *Int J Radiat Oncol Biol Phys.* 2005;63(3):725-731.
- 27) Kam MK, Leung SF, Zee B, *et al.* Prospective randomized study of intensity-modulated radiotherapy on salivary gland function in early-stage nasopharyngeal carcinoma patients. *J Clin Oncol.* 2007;25(31):4873-4879.
- 28) Klem ML, Mechalakos JG, Wolden SL, *et al.* Intensity-modulated radiotherapy for head and neck cancer of unknown primary: toxicity and preliminary efficacy. *Int J Radiat Oncol Biol Phys.* 70(4) 2008, 1100-1107.
- 29) Koppersmith RB; Greco SC; Teh BS *et al.* Intensity modulated radiotherapy: first results with this new technology on neo plasmas of the head and neck. *Ear Nose Throat J* 1999 April; 78(4): 238-248.
- 30) Kwong DL, Pow EH, Sham JS, *et al.* Intensity-modulated radiotherapy for early-stage nasopharyngeal carcinoma: a prospective study on disease control and preservation of salivary function. *Cancer.* 2004;101(7):1584-1593.
- 31) Kwong DL, Sham JS, Leung LH, *et al.* Preliminary results of radiation dose escalation for locally advanced nasopharyngeal carcinoma. *Int J Radiat Onc Biol Phys.* 2006;64( 2):374-381.
- 32) Lauve A, Morris M, Schmidt-Ullrich R, *et al.* Simultaneous integrated boost intensity-modulated radiotherapy for locally advanced head-and-neck squamous cell carcinomas: II--clinical results. *Int J Radiat Oncol Biol Phys.* 2004;60(2):374-387.
- 33) Lee N, Xia P, Fischbein NJ, *et al.* Intensity-modulated radiation therapy for head-and-neck cancer: the UCSF experience focusing on target volume delineation. *Int J Radiat Oncol Biol. Phys.* 2003;57(1):49-60.

- 34) Lee NY, de Arruda FF, Puri DR, *et al.* A comparison of intensity-modulated radiation therapy and concomitant boost radiotherapy in the setting of concurrent chemotherapy for locally advanced oropharyngeal carcinoma. *Int J Radiat Oncol Biol Phys.* 2006;66(4):966-974.
- 35) Lin A, Kim HM, Terrell JE, *et al.* Quality of life after parotid-sparing IMRT for head-and-neck cancer: a prospective longitudinal study. *Int J Radiat Oncol Biol Phys.* 2003;57(1):61-70.
- 36) Lu H, Yao M. The current status of intensity-modulated radiation therapy in the treatment of nasopharyngeal carcinoma. *Cancer Treat Rev.* 2008;34(1),27-36.
- 37) Lu TX, Mai WY, Teh BS, *et al.* Initial experience using intensity-modulated radiotherapy for recurrent nasopharyngeal carcinoma. *Int J Radiat Oncol Biol Phys.* 2004;58(3):682-687
- 38) Madani I, Bonte K, Vakael L., Boterberg T, De Neve W. Intensity-Modulated Radiotherapy for Sinonasal Tumors: Ghent University Hospital Update. *International Journal of Radiation Oncology, Biology, Physics*, 73 (2), p.424-432, Feb 2009
- 39) McMillan AS, Pow EH, Kwong DL, *et al.* Preservation of quality of life after intensity-modulated radiotherapy for early-stage nasopharyngeal carcinoma: results of a prospective longitudinal study. *Head Neck.* 2006;28(8):712-722.
- 40) Mendenhall WM, Amdur RJ, Palta JR. Intensity-modulated radiotherapy in the standard management of head and neck cancer: promises and pitfalls. *J Clin Oncol.* 2006;24(17):2618-2623.
- 41) Mock U, Georg D, Bogner J, *et al.* Treatment planning comparison of conventional, 3D conformal, and intensity-modulated photon (IMRT) and proton therapy for paranasal sinus carcinoma. *Int J Radiat Oncol Biol Phys.* 2004;58(1):147-154.
- 42) Nutting CM, Convery DJ, Cosgrove VP, *et al.* Improvements in target coverage and reduced spinal cord irradiation using intensity-modulated radiotherapy (IMRT) in patients with carcinoma of the thyroid gland. *Radiother Oncol.* 2001;60(2):173-180.
- 43) Nutting CM, Rowbottom CG, Cosgrove VP, *et al.* Optimization of radiotherapy for carcinoma of the parotid gland: a comparison of conventional, three-dimensional conformal, and intensity-modulated techniques. *Radiother Oncol.* 2001;60(2):163-172.
- 44) Ortholan C, Chamorey E, Benezery K, Thariat J, Dassonville O, Poissonnet G, Bozec A, Sudaka, A. Modeling of Salivary Production Recovery After Radiotherapy Using Mixed Models: Determination of Optimal Dose Constraint for IMRT Planning and Construction of Convenient Tools to Predict Salivary Function. *International Journal of Radiation Oncology, Biology, Physics*, 73 (1), p.178-186, Jan 2009.
- 45) Ozyigit G, Yang T, Chao KS. Intensity-modulated radiation therapy for head and neck cancer. *Curr Treat Options Oncol.* 2004;5(1):3-9.

- 46) Pacholke HD, Amdur RJ, Morris CG, *et al.* Late xerostomia after intensity-modulated radiation therapy versus conventional radiotherapy. *Am J Clin Oncol.* 2005;28(4):351-358.
- 47) Parliament MB, Scrimger RA, Anderson SG, *et al.* Preservation of oral health-related quality of life and salivary flow rates after inverse-planned intensity-modulated radiotherapy (IMRT) for head-and-neck cancer. *Int J Radiat Oncol Biol Phys.* 2004;58(3):663-673.
- 48) Pow EH, Kwong DL, McMillan AS, *et al.* Xerostomia and quality of life after intensity-modulated radiotherapy vs. conventional radiotherapy for early-stage nasopharyngeal carcinoma: initial report on a randomized controlled clinical trial. *Int J Radiat Onc Biol Phys.* 2006;66(4):981-991.
- 49) Puri DR, Chou W, Lee N. Intensity-modulated radiation therapy in head-and-neck cancers: dosimetric advantages and update of clinical results. *Am J Clin Oncol.* 2005;28(4):415-423.
- 50) Saarilahti K, Kouri M, Collan J, *et al.* Intensity modulated radiotherapy for head and neck cancer: evidence for preserved salivary gland function. *Radiother Oncol.* 2005;74(3):251-258.
- 51) Saarilahti K, Kouri M, Collan J, *et al.* Sparing of the submandibular glands by intensity modulated radiotherapy in the treatment of head and neck cancer. *Radiother Oncol.* 2006;78(3):270-275.
- 52) Sulman, E.P, Schwartz, D.L, Le, T.T, Ang, K.K, Morrison, W.H, Rosenthal, D.I, Ahamad, A, Weber, R. IMRT Reirradiation of Head and Neck Cancer-Disease Control and Morbidity Outcomes. *International Journal of Radiation Oncology, Biology, Physics*, 73 (2), p.399-409, Feb 2009
- 53) Xia P, Fu K, Wong GW, *et al.* Comparison of treatment plans involving intensity modulated radiotherapy for nasopharyngeal carcinoma. *Int J Radiat Oncol Biol Phys.* 2000;48(2):329-337.
- 54) Yao M, Dornfeld KJ, Buatti JM, *et al.* Intensity-modulated radiation treatment for head-and-neck squamous cell carcinoma--the University of Iowa experience. *Int J Radiat Onc Biol Phys.* 2005;63(2):410-421.

## LYMPHOMA

- 1) Cheng C, Chopra K, Das I, et al. Intensity modulated radiation therapy dose prescription, recording, and delivery: patterns of variability among institutions and treatment planning systems. *Journal of the National Cancer Institute*. 2008. doi: 10.1093/jnci/djn020
- 2) Chino K, Stea B, Tanyi J, Stereotactic Radiotherapy for Unilateral Orbital Lymphoma and Orbital Pseudo-Tumors: A Planning Study, *Medical Dosimetry*, 2009, Volume 34, Issue 1, Pages 57-62
- 3) Goodman KA, Toner S, Hunt M, et al. Intensity-modulated radiotherapy for lymphoma involving the mediastinum. *Int J Radiat Oncol Biol Phys*. 2005;62(1):198-206.
- 4) Girinsky T, Pichenot C, Beaudre A, et al. Is intensity-modulated radiotherapy better than conventional radiation treatment and three-dimensional conformal radiotherapy for mediastinal masses in patients with Hodgkin's disease, and is there a role for beam orientation optimization and dose constraints assigned to virtual volumes? *Int J Radiat Oncol Biol Phys*. 2006;64(1):218-226.

## LUNG

- 1) Britton KR, Starkschall G, Liu H, Chang JY, Bilton S, Ezhil M, John-Baptiste S, Komaki R. Consequences of Anatomic Changes and Respiratory Motion on Radiation Dose Distributions in Conformal Radiotherapy for Locally Advanced Non-Small-Cell Lung Cancer. *International Journal of Radiation Oncology, Biology, Physics*, 73 (1), p.94-102, Jan 2009
- 2) Choi Y, Kim JK, Lee HS, *et al.* Impact of intensity-modulated radiation therapy as a boost treatment on the lung-dose distributions for non-small-cell lung cancer. *Int J Radiat Oncol Biol Phys*. 2005;63(3):683-689.
- 3) Christian JA, Bedford JL, Webb S, *et al.* Comparison of inverse-planned three-dimensional conformal radiotherapy and intensity-modulated radiotherapy for non-small-cell lung cancer. *Int J Radiat Oncol Biol Phys*. 2007;67(3):735-741.
- 4) Grills IS, Yan D, Martinez AA, *et al.* Potential for reduced toxicity and dose escalation in the treatment of inoperable non-small-cell lung cancer: a comparison of intensity-modulated radiation therapy (IMRT), 3D conformal radiation, and elective nodal irradiation. *Int J Radiat Oncol Biol Phys*. 2003;57(3):875-890.
- 5) Liu HH, Wang X, Dong L, *et al.* Feasibility of sparing lung and other thoracic structures with intensity-modulated radiotherapy for non-small-cell lung cancer. *Int J Radiat Oncol Biol Phys*. 2004;58(4):1268-1279.
- 6) Mayo CS, Urie MM, Fitzgerald TJ, *et al.* Hybrid IMRT for treatment of cancers of the lung and esophagus. *Int J Radiat Oncol Biol Phys*. 2008 Feb [Epub ahead of print].
- 7) Murshed H, Liu HH, Liao Z, *et al.* Dose and volume reduction for normal lung using intensity-modulated radiotherapy for advanced-stage non-small-cell lung cancer. *Int J Radiat Oncol Biol Phys*. 2004;58(4):1258-1267.
- 8) Sura S, Gupta V, Yorke E, *et al.* Intensity-modulated radiation therapy (IMRT) for inoperable non-small cell lung cancer: The Memorial Sloan-Kettering Cancer Center (MSKCC) experience *Radiother Oncol*. 2008;87(1):17-23.
- 9) Yom SS, Liao Z, Liu HH, *et al.* Initial evaluation of treatment-related pneumonitis in advanced-stage non-small-cell lung cancer patients treated with concurrent chemotherapy and intensity-modulated radiotherapy. *Int J Radiat Onc Biol Phys*, 2007;68(1):94-102.

## PANCREAS

- 1) Bai YR, Wu GH, Guo WJ, et al. Intensity modulated radiation therapy and chemotherapy for locally advanced pancreatic cancer: results of feasibility study. *World J Gastroenterol.* 2003;9(11):2561-2564.
- 2) Ben-Josef E, Shields AF, Vaishampayan U, et al. Intensity-modulated radiotherapy (IMRT) and concurrent capecitabine for pancreatic cancer. *Int J Radiat Oncol Biol Phys.* 2004;59(2):454-459.
- 3) Milano MT, Chmura SJ, Garofalo MC, et al. Intensity-modulated radiotherapy in treatment of pancreatic and bile duct malignancies: toxicity and clinical outcome. *Int J Radiat Oncol Biol Phys.* 2004;59(2):445-453.
- 4) Shi YS, Xu SJ, Zheng XK, et al. Therapeutic effect of three-dimensional conformal radiotherapy on locally advanced pancreatic carcinoma. *Di Yi Jun Yi Da Xue Xue Bao (Academic journal of the First Medical College of PLA).* 2004;24(2):213-215,219.
- 5) Wilkowski R, Thoma M, Weingandt H, et al. Chemoradiation for ductal pancreatic carcinoma: principles of combining chemotherapy with radiation, definition of target volume and radiation dose. *JOP.* 2005;6(3):216-230.

## PROSTATE

- 1) Afonso SL, Stefano ES, Viani GA. Higher-Than-Conventional Radiation Doses in Localized Prostate Cancer Treatment: A Meta-analysis of Randomized, Controlled Trials. *International Journal of Radiation Oncology Biology Physics Volume 74, Issue 5*, 1 August 2009, Pages 1405-1418.
- 2) Al-Mamgani, A, Heemsbergen, W.D, Peeters, S.T.H, Lebesque, J.V. *Role of Intensity-Modulated Radiotherapy in Reducing Toxicity in Dose Escalation for Localized Prostate Cancer*. *International Journal of Radiation Oncology, Biology, Physics*, 73 (3), p.685-691, Mar 2009
- 3) Anscher M.S, Beyer D.C, Carroll P.R, Lawton CA, Lee R, Merrick G, Michalski J.M, Pollack A, Roach M, Rosenthal S.A, Vijayakumar S. ACR Appropriateness Criteria® on External Beam Radiation Therapy Treatment Planning for Clinically Localized Prostate Cancer: Expert Panel on Radiation Oncology—Prostate. *International Journal of Radiation Oncology Biology Physics Volume 74, Issue 3*, 1 July 2009, Pages 667-672.
- 4) Brabbins D, Martinez A, Yan D, *et al*. A dose escalation trial with the adaptive radiotherapy process as a delivery system in localized prostate cancer: analysis of chronic toxicity. *Int J Radiat Oncol Biol Phys*. 2005;61(2):400-408.
- 5) Cahlon O, Hunt M, Zelefsky MJ. Intensity-modulated radiation therapy: supportive data for prostate cancer. *Semin Rad Oncol*. 2008;18(1):48-57.
- 6) Carrier JF, Fortin B, Gauthier I, Nadeau DB, Taussky D. Dosimetric Impact and Theoretical Clinical Benefits of Fiducial Markers for Dose Escalated Prostate Cancer Radiation Treatment. *International Journal of Radiation Oncology Biology Physics Volume 74, Issue 4*, 15 July 2009, Pages 1128-1133.
- 7) Chung H.T, Xia P, Chan L.W, Park-Somers E, Roach M. Does Image-Guided Radiotherapy Improve Toxicity Profile in Whole Pelvic-Treated High-Risk Prostate Cancer? Comparison Between IG-IMRT and IMRT. *International Journal of Radiation Oncology, Biology, Physics*, 73 (1), p.53-60, Jan 2009.
- 8) D'Ambrosio DJ, Pollack A, Harris ER, *et al*. Assessment of external beam radiation technology for dose escalation and normal tissue protection in the treatment of prostate cancer. *Int J Rad Onc Bio Phys*. 2008;70(3):671-677.
- 9) Dearnaley DP, Khoo VS, Norman AR, *et al*. Comparison of radiation side-effects of conformal and conventional radiotherapy in prostate cancer: a randomized trial. *Lancet*. 1999;353(9149):267-272.

- 10) Eade TN, Horwitz EM, Ruth K, *et al.* A Comparison of acute and chronic toxicity for men with low-risk prostate cancer treated with intensity-modulated radiation therapy or <sup>125</sup>I permanent implant *Int J Radiat Onc Biol Phys.* 2008;71( 2):338-345.
- 11) Ganswindt U, Paulsen F, Corvin S, *et al.* Optimized coverage of high-risk adjuvant lymph node areas in prostate cancer using a sentinel node-based, intensity-modulated radiation therapy technique. *Int J Radiat Oncol Biol Phys.* 2007;67(2):347-355.
- 12) Jani A, Su A, Milano MT. Intensity-modulated versus conventional pelvic radiotherapy for prostate cancer: analysis of acute toxicity. *Urology.* 2006;67:147-151.
- 13) Kupelian, P.A., Mohan, D.S., Lyons, J., Klein, E.A., Reddy, S.A., Higher than Standard Adiation Doses (<sup>3</sup>72 GY) With or Without Androgen Deprivation in; the Treatment of Localized Prostate Cancer, *Int. J. Radiation Oncology Biol. Phys.*, 46 No.3 567-574, 2000.
- 14) Lim TS, Cheung PC, Loblaw DA, *et al.* Hypofractionated Accelerated radiotherapy using concomitant intensity-modulated radiotherapy boost technique for localized high-risk prostate cancer: acute toxicity results. *Int J Rad Onc Bio Phys.* 2008 Mar [Epub ahead of print].
- 15) Liu YM, Shiau CY, Lee ML, *et al.* The role and strategy of IMRT in radiotherapy of pelvic tumors: Dose escalation and critical organ sparing in prostate cancer. *Int J of Radiat Onc Biol Phys.* 2007;67(4)1113-1123.
- 16) Martinez AA, Yan D, Lockman D, *et al.* Improvement in dose escalation using the process of adaptive radiotherapy combined with three-dimensional conformal or intensity-modulated beams for prostate cancer. *Int J Radiat Oncol Biol Phys.* 2001;50(5):1226-1234.
- 17) Mohan, D.S., Kupelian, P.A., Willoughby, T.R. Short-Course Intensity Radiotherapy for Localized Prostate Cancer with Daily Trans abdominal Ultrasound Localization of the Prostate Gland, *Int., J. Radiation Oncology Biol. Phys.*, 46 No. 3 575-580, 2000.
- 18) Nutting CM, Convery DJ, Cosgrove VP, *et al.* Reduction of small and large bowel irradiation using an optimized intensity modulated pelvic radiotherapy technique in patients with prostate cancer. *Int J Radiat Oncol Biol Phys.* 2000;48(3):649-56.
- 19) Pollack A, Hanlon AL, Horwitz EM, *et al.* Dosimetry and preliminary acute toxicity in the first 100 men treated for prostate cancer on a randomized hypofractionation dose escalation trial. *Int J Radiat Oncol Biol Phys.* 2006;64(2):518-526.
- 20) Shu HK, Lee TT, Vigneault E, *et al.* Toxicity following high-dose three-dimensional conformal and intensity-modulated radiation therapy for clinically localized prostate cancer. *Urology.* 2001;57(1):102-107.
- 21) Wang-Chesebro A, Xia P, Coleman J, *et al.* Intensity-modulated radiotherapy improves lymph node coverage and dose to critical structures compared with three-dimensional conformal radiation therapy in clinically localized prostate cancer. *Int J Radiat Onc Biol Phys.* 2006;66(3):654-662.

- 22) Zelefsky MJ, Chan H, Hunt M, *et al.* Long-term outcome of high dose intensity modulated radiation therapy for patients with clinically localized prostate cancer. *J Urol.* 2006;176(4 Pt 1):1415-1419.
- 23) Zelefsky MJ, Yamada Y, Kollmeier M, *et al.* Long-term outcome following three-dimensional conformal/intensity-modulated external-beam radiotherapy for clinical stage T3 prostate cancer. *Eur Urol.* 2008;53(6):1172-1179.
- 24) Zelefsky MJ, Fuks Z, Hunt M, *et al.* High dose radiation delivered by intensity modulated conformal radiotherapy improves the outcome of localized prostate cancer. *J Urol.* 2001;166(3):876-881.
- 25) Zelefsky MJ, Fuks Z, Happersett L, *et al.* Clinical experience with intensity modulated radiation therapy (IMRT) in prostate cancer. *Radiother Oncol.* 2000;55(3):241-249.
- 26) Zelefsky MJ; Fuks Z; Leibel SA. Intensity-modulated radiation therapy for prostate cancer, *Semin Rad Oncol.* 2002;12( 3):229-237.
- 27) Zietman AL, DeSilvio ML, Slater JD, *et al.* Comparison of conventional dose vs high-dose conformal radiation therapy in clinically localized adenocarcinoma of the prostate: a randomized controlled trial. *JAMA.* 2005;294(10):1233-1239.

## RECTUM/ANUS/COLON

- 1) Freedman G, Meropol N, Sigurdson E, *et al.* Phase I trial of preoperative hypofractionated intensity-modulated radiotherapy with incorporated boost and oral capecitabine in locally advanced rectal cancer. *Int J Radiat Oncol Biol Phys.* 2007;67(5):1389-1393.
- 2) Gierga DP, Chen GT, Kung JH, *et al.* Quantification of respiration-induced abdominal tumor motion and its impact on IMRT dose distributions. *Int J Radiat Oncol Biol Phys.* 2004;58(5):1584 -1595.
- 3) Milano MT, Jani AB, Farrey KJ, *et al.* Intensity-modulated radiation therapy (IMRT) in the treatment of anal cancer: toxicity and clinical outcome. *Int J Radiat Oncol Biol Phys.* 2005;63(2):354-361.
- 4) Salama JK, Mell LK, Schomas DA, *et al.* Concurrent chemotherapy and intensity-modulated radiation therapy for anal canal cancer patients: a multicenter experience. *J Clin Oncol.* 2007;25(29):4581-4586

## GYN/PELVIS

- 1) Ahamad A, D'Souza W, Salehpour M, *et al.* Intensity-modulated radiation therapy after hysterectomy: comparison with conventional treatment and sensitivity of the normal-tissue-sparing effect to margin size. *Int J Radiat Oncol Biol Phys.* 2005;62(4):1117-1124.
- 2) Ahmed R, Kim RY, Duan J, *et al.* IMRT Dose escalation for positive para-aortic lymph nodes in patients with locally advanced cervical cancer while reducing the dose to bone marrow and other organs at risk. *Int J Radiat Oncol Biol Phys.* 2004;60(2):505-512.
- 3) Beriwal S, Gan GN, Heron DE, *et al.* Early clinical outcome with concurrent chemotherapy and extended-field, intensity-modulated radiotherapy for cervical cancer. *Int J Radiat Oncol Biol Phys.* 2007;68(1):166-171.
- 4) Beriwal S, Heron DE, Kim H, *et al.* Intensity modulated radiotherapy for the treatment of vulvar carcinoma: a comparative dosimetric study with early clinical outcome. *Int J Radiat Oncol Biol Phys.* 2006;64(5):1395-1400.
- 5) Beriwal S, Jain SK, Heron DE, *et al.* Clinical outcome with adjuvant treatment of endometrial carcinoma using intensity-modulated radiation therapy. *Gynecol Oncol.* 2006;102(2):195-199.
- 6) Beriwal S, Jain SK, Heron DE, *et al.* Dosimetric and toxicity comparison between prone and supine position IMRT for endometrial cancer. *Int J Radiat Oncol Biol Phys.* 2007;67(2):485-489.
- 7) Bouchard M, Nadeau S, Gingras L, *et al.* Clinical outcome of adjuvant treatment of endometrial cancer using aperture-based intensity modulated radiation therapy. *Int J Radiat Oncol Biol Phys.* 2008 Feb [Epub ahead of print].
- 8) Brixey CJ, Roeske JC, Lujan AE, *et al.* Impact of intensity-modulated radiotherapy on acute hematologic toxicity in women with gynecologic malignancies. *Int J Radiat Oncol Biol Phys.* 2002;54(1):1388-1396.
- 9) D'Souza W, Ahamad AA, Iyer RB, *et al.* Feasibility of dose escalation using intensity-modulated radiotherapy in posthysterectomy cervical carcinoma. *Int J Rad Biol Phys.* 2005;61(4):1062-1070.

- 10) Garsa AA, Andrade RS, Heron DE, *et al.* Four-dimensional computed tomography-based respiratory-gated whole-abdominal intensity-modulated radiation therapy for ovarian cancer: a feasibility study. *Int J Gynecological Cancer*. 2007;17(1):55-60.
- 11) Georg P, Georg D, Hillbrand M, *et al.* Factors influencing bowel sparing in intensity modulated whole pelvic radiotherapy for gynaecological malignancies. *Radiother Oncol*. 2006;80(1):19-26.
- 12) Gerszten K, Colonello K, Heron DE, *et al.* Feasibility of concurrent cisplatin and extended field radiation therapy (EFRT) using intensity-modulated radiotherapy (IMRT) for carcinoma of the cervix. *Gynecol Oncol*. 2006;102(2):182-188.
- 13) Gerszten K, Selaraj RN, Kelley J, *et al.* Preoperative chemoradiation for locally advanced carcinoma of the vulva. *Gynecol Oncol*. 2005;99(3):640-644.
- 14) Greven K, Winter K, Underhill K, *et al.* Final analysis of RTOG 9708: adjuvant postoperative irradiation combined with cisplatin/paclitaxel chemotherapy following surgery for patients with high-risk endometrial cancer. *Gynecol Oncol*. 2006;103(1):155-159.
- 15) Heron DE, Gerszten K, Selvaraj RN, *et al.* Conventional 3D conformal versus intensity-modulated radiotherapy for the adjuvant treatment of gynecologic malignancies: a comparative dosimetric study of dose-volume histograms. *Gynecol Oncol*. 2003;91(1):39-45.
- 16) Huh SJ, Kang MK, Han Y. Small bowel displacement system-assisted intensity-modulated radiotherapy for cervical cancer. *Gynecol Oncol*. 2004;93(2):400-406.
- 17) Jhingran A. Potential advantages of intensity-modulated radiation therapy in gynecologic malignancies. *Semin Radiat Oncol*. 2006;16(3):144-151.
- 18) Kochanski JD, Mell LK, Roeske JC, *et al.* Intensity-modulated radiation therapy in gynecologic malignancies: current status and future directions. *Clin Adv Hematol Oncol*. 2006;4(5):379-386.
- 19) Lujan AE, Mundt AJ, Yamada SD, *et al.* Intensity-modulated radiotherapy as a means of reducing dose to bone marrow in gynecologic patients receiving whole pelvic radiotherapy. *Int J Radiat Oncol Biol Phys*. 2003;57(2):516-521.
- 20) Mell LK, Kochanski JD, Roeske J, *et al.* Dosimetric predictors of acute hematologic toxicity in cervical cancer patients treated with concurrent cisplatin and intensity-modulated pelvic radiotherapy. *Int J Radiat Oncol Biol Phys*. 2006;66(5):1356-1365.
- 21) Monk BJ, Tewari KS, Koh WJ. Multimodality therapy for locally advanced cervical carcinoma: state of the art and future direction. *J Clin Oncol*. 2007;25(20):2952-2956.
- 22) Mundt AJ, Mell LK, Roeske JC. Preliminary analysis of chronic gastrointestinal toxicity in gynecology patients treatment with intensity-modulated whole pelvic radiation therapy. *Int J Rad Biol Phys*. 2003;56(5):1354-1360.

- 23) Mundt AJ, Roeske JC, Lujan AE, *et al.* Initial clinical experience with intensity-modulated whole-pelvic radiation therapy in women with gynecologic malignancies. *Gynecol Oncol.* 2001;82(3):456-463.
- 24) Mutic S, Malayapa RS, Grigsby PW, *et al.* PET-guided IMRT for cervical carcinoma with positive para-aortic lymph nodes-a dose-escalation treatment planning study. *Int J Rad Oncol Biol Phys.* 2003;55(1):28-35.
- 25) Nadeau S, Bouchard M, Germain I, *et al.* Postoperative irradiation of gynecologic malignancies: Improving treatment delivery using aperture-based intensity-modulated radiotherapy. *Int J Radiat Oncol Biol Phys.* 2007;68(2):601-611.
- 26) Portelance L, Chao KS, Grigsby PW, *et al.* Intensity-modulated radiation therapy (IMRT) reduces small bowel, rectum, and bladder doses in patients with cervical cancer receiving pelvic and para-aortic irradiation. *Int J Radiat Oncol Biol Phys.* 2001;51(1):261-266.
- 27) Roeske JC, Bonta D, Mell LK, *et al.* Dosimetric analysis of acute gastrointestinal toxicity in women receiving intensity-modulated whole-pelvic radiation therapy. *Radiotherapy Oncology.* 2003;69(2):201-207.
- 28) Salama JK, Mundt AJ, Roeske J, *et al.* Preliminary outcome and toxicity report of extended-field, intensity-modulated radiation therapy for gynecologic malignancies. *Int J Radiat Oncol Biol Phys.* 2006;65(4):1170-1176.
- 29) Small W Jr, Mell LK, Anderson P, *et al.* Consensus guidelines for delineation of clinical target volume for intensity-modulated pelvic radiotherapy in postoperative treatment of endometrial and cervical cancer. *Int J Radiat Onc Biol Phys.* 2008;71(2):428-434.
- 30) Van de Bunt L, van der Heide UA, Ketelaars M, *et al.* Conventional, conformal, and Intensity-modulated radiation therapy treatment planning of external beam radiotherapy for cervical cancer: The impact of tumor regression. *Int J Radiat Oncol Biol Phys.* 2006;64(1):189-196.
- 31) Varlotto JM, Gerszten K, Heron DE, *et al.* The potential nephrotoxic effects of intensity-modulated radiotherapy delivered to the para-aortic area of women with gynecological malignancies preliminary results. *Am J Clin Oncol* 2006;29(3):281-189.
- 32) Wong E, D'Souza D, Chen J, *et al.* Intensity-modulated arc therapy for treatment of high-risk endometrial malignancies, *Int J Radiat Oncol Biol Phys.* 2005;61(3):830-841.